

	Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
1	BR S	2515	substrat\$2 same align\$5 same marks	USPAT; US-PGPUB	2003/08/25 16:38		0
2	BR S	3819	(photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks	USPAT; US-PGPUB	2003/08/25 16:44		0
3	BR S	4442	ferrul\$2 same fiber\$1	USPAT; US-PGPUB	2003/08/25 16:43		0
4	BR S	1945	(photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1	USPAT; US-PGPUB	2003/08/25 16:45		0
5	BR S	11	(substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)	USPAT; US-PGPUB	2004/04/14 12:12		0
6	BR S	3848	ferrule\$1 same align\$5	USPAT; US-PGPUB	2003/08/25 16:46		0
7	BR S	9	((substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)) and (ferrule\$1 same align\$5)	USPAT; US-PGPUB	2004/08/24 11:05		0
8	BR S	0	"3448432000" "344843/2000" "344843-2000"	JPO; DERWENT	2003/08/25 16:59		0

	Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
9	BR S	0	"3448432000" "344843/2000" ("344843" adj1 "2000")	JPO; DERWENT	2003/08/25 16:59		0
10	BR S	0	"3448432000" "344843/2000" ("3448432000")	JPO; DERWENT	2003/08/25 17:02		0
11	BR S	3	"11290130" "2000-251301"	JPO; DERWENT	2003/08/25 17:06		0
12	BR S	1	"11-290130" "2000-251301"	JPO; DERWENT	2003/08/25 17:13		0
13	BR S	3	"2000344843" "2000-344843"	JPO; DERWENT	2003/08/25 17:14		0
14	BR S	2	((substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and ((ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)) not (((substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and ((ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1	USPAT; US-PPGPUB	2003/08/25 17:24		0

Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
15	BR S 0	(substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)	EPO; JPO; DERWENT	2003/08/25 18:03	0	
16	BR S 1	(substrat\$2 same align\$5 same mark\$4) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same mark\$4) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)	EPO; JPO; DERWENT	2003/08/25 18:09	0	
17	BR S 15	(substrat\$2 same align\$5 same mark\$4) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same mark\$4) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)	USPAT; US-PGPUB	2003/08/25 18:21	0	

	Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
18	BR S	9	((substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)) and (ferrule\$1 same align\$5)	USPAT; US-PGPUB	2003/08/25 18:07	0	
19	BR S	12	((substrat\$2 same align\$5 same mark\$4) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same mark\$4) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)) and (ferrule\$1 same align\$5)	USPAT; US-PGPUB	2003/08/26 13:11	0	

	Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
20	BR S	3	<pre>((substrat\$2 same align\$5 same mark\$4) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same mark\$4) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)) and (ferrule\$1 same align\$5)) not (((substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light</pre>	USPAT; US-PPGPUB	2003/08/25 18:09	0	

Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs	
21	BR S 5	((substrat\$2 same align\$5 same mark\$4) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same mark\$4) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)) not (((substrat\$2 same align\$5 same mark\$4) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same mark\$4) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1	USPAT; US-PPGPUB	2003/08/25 18:18	0		
22	BR S 0	1999wo-jp11290130.ap,prai.	EPO; JPO; DERWENT	2003/08/26 11:32	0		
23	BR S 0	1999wo-jp290130.ap,prai.	EPO; JPO; DERWENT	2003/08/26 11:29	0		
24	BR S 0	2000wo-jp251301.ap,prai.	EPO; JPO; DERWENT	2003/08/26 11:31	0		
25	BR S 0	2000wo-jp251301.ap,prai,	EPO; JPO; DERWENT	2003/08/26 12:47	0		
26	BR S 0	1999wo-jp11290130.ap,prai,	EPO; JPO; DERWENT	2003/08/26 11:30	0		
27	BR S 0	jp251301.ap,prai.	EPO; JPO; DERWENT	2003/08/26 11:31	0		
28	BR S 0	jp11290130.ap,prai.	EPO; JPO; DERWENT	2003/08/26 11:31	0		
29	BR S 0	2000wo-jp11290130.ap,prai.	EPO; JPO; DERWENT	2003/08/26 11:37	0		
30	BR S 45573	ishii.in.	EPO; JPO; DERWENT	2003/08/26 11:38	0		
31	BR S 43428	ishii.in.	JPO; DERWENT	2003/08/26 11:38	0		
32	BR S 2361	(optical adj1 module).ti.	JPO; DERWENT	2003/08/26 11:39	0		
33	BR S 17	ishii.in. and ((optical adj1 module).ti.)	JPO; DERWENT	2003/08/26 11:39	0		

	Type	Hits	Search Text	DBs	Time Stamp	Cor ro r mm en ts	Er ro r ni ti on
34	BR S	5	(ishii.in. and ((optical adj1 module).ti.)) and nomura	JPO; DERWENT	2003/08/26 11:40		0
35	BR S	1	"20020047088"	USPAT; US-PGPUB	2003/08/26 12:09		0
36	BR S	6	("6217231" "6263137" "5764836" "6457877" "6406196" "6112002").pn.	USPAT; US-PGPUB	2003/08/26 12:10		0
37	BR S	7	"20020047088" (("6217231" "6263137" "5764836" "6457877" "6406196" "6112002").pn.)	USPAT; US-PGPUB	2003/08/26 12:10		0
38	BR S	2	("20020047088" (("6217231" "6263137" "5764836" "6457877" "6406196" "6112002").pn.)) and ((substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)) and (ferrule\$1 same align\$5)	USPAT; US-PGPUB	2003/08/26 12:52		0

	Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
39	BR S	4	<pre> ("20020047088" (("6217231" "6263137" "5764836" "6457877" "6406196" "6112002").pn.)) and ((substrat\$2 same align\$5 same mark\$4) and ((photoactiv\$5 imag\$4 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same mark\$4) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 imag\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)) and (ferrule\$1 same align\$5) </pre>	USPAT; US-PGPUB	2003/08/26 13:16	0	
40	BR S	4	<pre> (("20020047088" (("6217231" "6263137" "5764836" "6457877" "6406196" "6112002").pn.)) and ((substrat\$2 same align\$5 same mark\$4) and ((photoactiv\$5 imag\$4 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same mark\$4) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 imag\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)) and (ferrule\$1 same align\$5)) and (substrat\$2 same ferrule\$1) </pre>	USPAT; US-PGPUB	2003/08/26 15:28	0	
41	BR S	3	<pre> ("6263137" "6217231" "5764836").pn. </pre>	USPAT; US-PGPUB	2003/08/26 13:19	0	
42	BR S	4	<pre> "20020047088" (("6263137" "6217231" "5764836").pn.) </pre>	USPAT; US-PGPUB	2003/08/26 13:19	0	

	Type	Hits	Search Text	DBs	Time Stamp	Cor ro mm en ts	Er ro De ni ti on
43	BR S	4	("20020047088" ("6263137" "6217231" "5764836").pn.) and (substrat\$2 same ferrule\$1)	USPAT; US-PGPUB	2003/08/26 15:22		0
44	BR S	4	("20020047088" ("6263137" "6217231" "5764836").pn.) and (align\$6 same ferrule same fiber\$1)	USPAT; US-PGPUB	2003/08/26 15:26		0
45	BR S	3	("20020047088" ("6263137" "6217231" "5764836").pn.) and (mark\$1 same (substr\$4 carr\$4) same (ferrul\$2 fiber\$1))	USPAT; US-PGPUB	2003/08/26 15:29		0
46	BR S	2	("20020047088" ("6263137" "6217231" "5764836").pn.) and (align\$6 same ferrule same fiber\$1)) and pin\$1	USPAT; US-PGPUB	2003/08/26 14:58		0
47	BR S	0	((("5768456" "6130979" "5574814" "6056448" "6203212" "6250820" "5611013" "5499311" "6137929").pn.) and (mark\$4 same (substr\$4 carr\$4) same (ferrul\$2 fiber\$1))	USPAT; US-PGPUB	2003/08/26 15:07		0
48	BR S	0	((("5768456" "6130979" "5574814" "6056448" "6203212" "6250820" "5611013" "5499311" "6137929").pn.) and (mark\$4 same (substr\$4 carr\$4) same (ferrul\$2 fiber\$1))) and (align\$6 same ferrule same fiber\$1)	USPAT; US-PGPUB	2003/08/26 15:08		0
49	BR S	1	((("5768456" "6130979" "5574814" "6056448" "6203212" "6250820" "5611013" "5499311" "6137929").pn.) and (align\$6 same ferrule same fiber\$1)	USPAT; US-PGPUB	2003/08/26 15:08		0
50	BR S	9	("5768456" "6130979" "5574814" "6056448" "6203212" "6250820" "5611013" "5499311" "6137929").pn.	USPAT; US-PGPUB	2003/08/26 15:10		0
51	BR S	5	("20020047088" ("6217231" "6263137" "5764836" "6457877" "6406196" "6112002").pn.)) and (mark\$1 same (substr\$4 carr\$4) same (ferrul\$2 fiber\$1))	USPAT; US-PGPUB	2003/08/26 15:24		0

	Type	Hits	Search Text	DBs	Time Stamp	Cor re ct ed en ti ts	Er ro rs
52	BR S	1	6130979.pn.	USPAT; US-PGPUB	2003/08/26 15:21		0
53	BR S	0	6130979.pn. and (substrat\$2 same ferrule\$1)	USPAT; US-PGPUB	2003/08/26 15:22		0
54	BR S	4	((("20020047088" (("6217231" "6263137" "5764836" "6457877" "6406196" "6112002").pn.)) and (mark\$4 same (substr\$4 carr\$4) same (ferrul\$2 fiber\$1))) and (align\$6 same ferrule same fiber\$1)	USPAT; US-PGPUB	2003/08/26 15:26		0
55	BR S	6	((("20020047088" (("6217231" "6263137" "5764836" "6457877" "6406196" "6112002").pn.)) and (mark\$4 same (substr\$4 carr\$4) same (ferrul\$2 fiber\$1))) and (substrat\$2 same ferrule\$1)	USPAT; US-PGPUB	2003/08/26 15:28		0
56	BR S	4	((("20020047088" (("6217231" "6263137" "5764836" "6457877" "6406196" "6112002").pn.)) and (mark\$4 same (substr\$4 carr\$4) same (ferrul\$2 fiber\$1))) and (substrat\$2 same ferrule\$1)) and (mark\$1 same (substr\$4 carr\$4) same (ferrul\$2 fiber\$1))	USPAT; US-PGPUB	2003/08/26 15:34		0
57	BR S	1	6217231.pn.	USPAT; US-PGPUB	2003/08/26 15:35		0
58	BR S	0	6217231.pn. and align\$5 same ferrule\$1 same (photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1)	USPAT; US-PGPUB	2004/01/27 17:19		0
59	BR S	1	6217231.pn. and (align\$5 same (ferrule\$1 fiber\$1) same (photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1))	USPAT; US-PGPUB	2003/08/26 16:03		0
60	BR S	1	6217231.pn. and (align\$5 same (ferrule\$1 fiber\$1))	USPAT; US-PGPUB	2003/08/26 16:11		0
61	BR S	1	6217231.pn. and (mark\$4 near9 (substrate\$4 carrier\$4))	USPAT; US-PGPUB	2003/08/26 17:04		0

	Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
62	BR S	1	6217231.pn. and (mark\$4 same (substrat\$3 carri\$3) same mark\$4 same (fiber\$1 ferrule\$1))	USPAT; US-PGPUB	2003/08/26 17:50		0
63	BR S	1	6217231.pn. and (etch\$4 photolithograph\$4)	USPAT; US-PGPUB	2003/08/26 18:08		0
64	BR S	0	6217231.pn. and (film\$3 same (transparent\$4 clear substrat\$3))	USPAT; US-PGPUB	2003/08/26 18:09		0
65	BR S	1	6217231.pn. and (film\$3 same (transparent\$4 clear substrat\$3))	USPAT; US-PGPUB	2003/08/26 18:10		0
66	BR S	7	("20020047088" (("6217231" "6263137" "5764836" "6457877" "6406196" "6112002").pn.)) and (mark\$4 same (substrat\$4 carrier\$4) same (ferrule\$2 fiber\$1))	USPAT; US-PGPUB	2003/08/26 19:22		0
67	BR S	5	("6310995" "5889902" "5090790" "5282080" "5732179").pn.	USPAT; US-PGPUB	2003/08/27 11:12		0
68	BR S	4	((("6310995" "5889902" "5090790" "5282080" "5732179").pn.) and ((transverse same electric same magnetic same (modal gains)) (te same tm)))	USPAT; US-PGPUB	2003/08/27 12:55		0
69	BR S	3	((("6310995" "5889902" "5090790" "5282080" "5732179").pn.) and ((transverse same electric same magnetic same (modal gains)) (te same tm))) and (quantum adj1 wells)	USPAT; US-PGPUB	2003/08/27 11:22		0
70	BR S	0	((("6310995" "5889902" "5090790" "5282080" "5732179").pn.) and ((transverse same electric same magnetic same (modal gains)) (te same tm))) and (quantum adj1 wells) same compress\$4 same (tens\$3 strain\$3))	USPAT; US-PGPUB	2003/08/27 12:54		0
71	BR S	2	("5889902" "6310995").pn.	USPAT; US-PGPUB	2003/08/27 12:54		0
72	BR S	0	((("5889902" "6310995").pn.) and ((quantum adj1 wells) same compress\$4 same (tens\$3 strain\$3)))	USPAT; US-PGPUB	2003/08/27 12:55		0

	Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
73	BR S	1	((("5889902" "6310995").pn.) and ((quantum adj1 wells) same (compress\$4 tens\$3 strain\$3)) and ((transverse same electric same magnetic same (modal gains)) (te same tm))	USPAT; US-PGPUB	2003/08/27 12:56		0
74	BR S	2	((("5889902" "6310995").pn.) and ((quantum adj1 wells) same (compress\$4 tens\$3 strain\$3))	USPAT; US-PGPUB	2003/08/27 14:23		0
75	BR S	5	((("6310995" "5889902" "5090790" "5282080" "5732179").pn.) ((("5889902" "6310995").pn.))	USPAT; US-PGPUB	2003/08/27 14:23		0
76	BR S	5	((("6310995" "5889902" "5090790" "5282080" "5732179").pn.) ((("5889902" "6310995").pn.)) (((("5889902" "6310995").pn.) and ((quantum adj1 wells) same (compress\$4 tens\$3 strain\$3)))	USPAT; US-PGPUB	2003/08/27 14:23		0
77	BR S	0	((("6310995" "5889902" "5090790" "5282080" "5732179").pn.) ((("5889902" "6310995").pn.)) (((("5889902" "6310995").pn.) and ((quantum adj1 wells) same (compress\$4 tens\$3 strain\$3))) and circulat\$5	USPAT; US-PGPUB	2003/08/27 14:24		0
78	BR S	1	6217231.pn.	USPAT; US-PGPUB	2004/01/27 17:19		0
79	BR S	14	(substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)	USPAT; US-PGPUB	2004/04/14 12:12		0

Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
80	BR S 0	(substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)	EPO; JPO; DERWENT	2004/01/28 13:46	0	
81	BR S 1	6217231.pn.	USPAT; US-PPGPUB	2004/04/14 11:48	0	
82	BR S 17	(substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)	USPAT; US-PPGPUB	2004/04/14 12:13	0	
83	BR S 0	(substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)	EPO; JPO; DERWENT	2004/04/14 12:13	0	

Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
84	BR S 17	(substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)	USPAT; US-PGPUB	2004/04/14 13:38	0	
85	BR S 0	'10/722894'	USPAT; US-PGPUB	2004/04/14 13:39	0	
86	BR S 1	'09/954130'	USPAT; US-PGPUB	2004/04/29 10:54	0	
87	BR S 1	'09/954130' and (carrier\$1 same (apertur\$1 window\$1 hole\$1 opening\$1 align\$5)) and (pin\$1 same (apertur\$1 window\$1 hole\$1 opening\$1 align\$5 ferrul\$2)) and (support\$4 same substrat\$2)	USPAT; US-PGPUB	2004/04/14 14:20	0	
88	BR S 21233	(carrier\$1 recepticel\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)	USPAT; US-PGPUB	2004/04/14 14:28	0	
89	BR S 31147	(apertur\$1 window\$1 hole\$1 opening\$1 align\$5) near7 align\$5	USPAT; US-PGPUB	2004/04/14 14:25	0	
90	BR S 503	(pin\$1 near7 align\$5) same ferrul\$2	USPAT; US-PGPUB	2004/04/14 14:27	0	
91	BR S 332	(pin\$1 near7 align\$5) same ferrul\$2 same (waveguid\$3 fiber\$1)	USPAT; US-PGPUB	2004/04/14 14:27	0	
92	BR S 90186	(support\$3) same (apertur\$1 window\$1 hole\$1 opening\$1) same align\$5	USPAT; US-PGPUB	2004/04/14 14:28	0	
93	BR S 14	((carrier\$1 recepticel\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)) and ((apertur\$1 window\$1 hole\$1 opening\$1 align\$5) near7 align\$5) and ((pin\$1 near7 align\$5) same ferrul\$2 same (waveguid\$3 fiber\$1)) and ((support\$3) same (apertur\$1 window\$1 hole\$1 opening\$1) same align\$5)	USPAT; US-PGPUB	2004/04/19 18:38	0	

Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
94	BR S 0	((carrier\$1 recepticl\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)) and ((apertur\$1 window\$1 hole\$1 opening\$1 align\$5) near7 align\$5) and ((pin\$1 near7 align\$5) same ferrul\$2 same (waveguid\$3 fiber\$1)) and ((support\$3) same (apertur\$1 window\$1 hole\$1 opening\$1) same align\$5)	EPO; JPO; DERWENT	2004/04/14 16:05		0
95	BR S 3	("6641310" "6130979" "6085007").pn.	USPAT; US-PGPUB	2004/04/14 15:25		0
96	BR S 3	((("6641310" "6130979" "6085007").pn.) and silicon	USPAT; US-PGPUB	2004/04/14 15:25		0
97	BR S 622	385/89.ccls.	USPAT; US-PGPUB	2004/04/14 16:07		0
98	BR S 0	385/89.ccls. and ((carrier\$1 recepticl\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)) and ((apertur\$1 window\$1 hole\$1 opening\$1 align\$5) near7 align\$5) and ((pin\$1 near7 align\$5) same ferrul\$2 same (waveguid\$3 fiber\$1)) and ((support\$3) same (apertur\$1 window\$1 hole\$1 opening\$1) same align\$5)	EPO; JPO; DERWENT	2004/04/14 16:06		0
99	BR S 0	385/89.ccls. and ((carrier\$1 recepticl\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)) and ((apertur\$1 window\$1 hole\$1 opening\$1 align\$5) near7 align\$5) and ((pin\$1 near7 align\$5) same ferrul\$2 same (waveguid\$3 fiber\$1)) and ((support\$3) same (apertur\$1 window\$1 hole\$1 opening\$1))	EPO; JPO; DERWENT	2004/04/14 16:08		0
100	BR S 29310	385/\$.ccls.	USPAT; US-PGPUB	2004/04/14 16:07		0

	Type	Hits	Search Text	DBs	Time Stamp	Cor re ct ed en ti ts	Er ro r De ni ti on	Er ro rs
101	BR S	0	385/\$.ccls. and ((carrier\$1 receptic1\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)) and ((apertur\$1 window\$1 hole\$1 opening\$1 align\$5) near7 align\$5) and ((pin\$1 near7 align\$5) same ferrul\$2 same (waveguid\$3 fiber\$1)) and ((support\$3) same (apertur\$1 window\$1 hole\$1 opening\$1))	EPO; JPO; DERWENT	2004/04/14 16:08		0	
102	BR S	0	((carrier\$1 receptic1\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)) and ((apertur\$1 window\$1 hole\$1 opening\$1) near7 align\$5) and (pin\$1 same align\$5 same ferrul\$2 same (waveguid\$3 fiber\$1)) and (support\$3 same (apertur\$1 window\$1 hole\$1 opening\$1) same align\$5)	EPO; JPO; DERWENT	2004/04/19 18:37		0	
103	BR S	23	((carrier\$1 receptic1\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)) and ((apertur\$1 window\$1 hole\$1 opening\$1) near7 align\$5) and (pin\$1 same align\$5 same ferrul\$2 same (waveguid\$3 fiber\$1)) and (support\$3 same (apertur\$1 window\$1 hole\$1 opening\$1) same align\$5)	USPAT; US-PPGPUB	2004/04/28 09:47		0	
104	BR S	14	((carrier\$1 receptic1\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)) and ((apertur\$1 window\$1 hole\$1 opening\$1 align\$5) near7 align\$5) and ((pin\$1 near7 align\$5) same ferrul\$2 same (waveguid\$3 fiber\$1)) and ((support\$3) same (apertur\$1 window\$1 hole\$1 opening\$1) same align\$5)	USPAT; US-PPGPUB	2004/04/20 13:47		0	

Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
105	BR S 9	((carrier\$1 recepticl\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)) and ((apertur\$1 window\$1 hole\$1 opening\$1) near7 align\$5) and (pin\$1 same align\$5 same ferrul\$2 same (waveguid\$3 fiber\$1)) and (support\$3 same (apertur\$1 window\$1 hole\$1 opening\$1) same align\$5)) not (((carrier\$1 recepticl\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)) and ((apertur\$1 window\$1 hole\$1 opening\$1 align\$5) near7 align\$5) and ((pin\$1 near7 align\$5) same ferrul\$2 same (waveguid\$3 fiber\$1)) and ((support\$3) same (apertur\$1 window\$1 hole\$1 opening\$1) same align\$5)))	USPAT; US-PGPUB	2004/04/20 10:55	0	
106	BR S 1	5917976.pn. and ((carrier\$1 recepticl\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1))	USPAT; US-PGPUB	2004/04/20 10:56	0	
107	BR S 1	5917976.pn. and ((apertur\$1 window\$1 hole\$1 opening\$1 align\$5) near7 align\$5)	USPAT; US-PGPUB	2004/04/20 12:17	0	
108	BR S 0	5917976.pn. and ((pin\$1 near7 align\$5) same ferrul\$2 same (waveguid\$3 fiber\$1))	USPAT; US-PGPUB	2004/04/20 12:19	0	
109	BR S 1	5917976.pn. and (pin\$1 same ferrul\$2 same (waveguid\$3 fiber\$1))	USPAT; US-PGPUB	2004/04/20 14:32	0	
110	BR S 14	((carrier\$1 recepticl\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)) and ((apertur\$1 window\$1 hole\$1 opening\$1 align\$5) near7 align\$5) and ((pin\$1 near7 align\$5) same ferrul\$2 same (waveguid\$3 fiber\$1)) and ((support\$3) same (apertur\$1 window\$1 hole\$1 opening\$1) same align\$5))	USPAT; US-PGPUB	2004/04/20 13:48	0	
111	BR S 1	6641310.pn.	USPAT; US-PGPUB	2004/04/22 11:06	0	
112	BR S 1	6641310.pn. and (pin\$1 same ferrul\$2 same (waveguid\$3 fiber\$1))	USPAT; US-PGPUB	2004/04/20 14:51	0	
113	BR S 1	6641310.pn. and ((pin\$1 align\$6) same photolithog\$6)	USPAT; US-PGPUB	2004/04/20 14:57	0	

	Type	Hits	Search Text	DBs	Time Stamp	Cor ro mm en ts	Er ro rs ni ti on
114	BR S	1	6641310.pn. and ((pin\$1 align\$6) same subst\$5)	USPAT; US-PGPUB	2004/04/20 15:26		0
115	BR S	2	5917976.pn. 6641310.pn.	USPAT; US-PGPUB	2004/04/20 15:26		0
116	BR S	2	(5917976.pn. 6641310.pn.) and (film\$3 coat\$4 deposit\$4 layer\$1)	USPAT; US-PGPUB	2004/04/20 15:38		0
117	BR S	2	(5917976.pn. 6641310.pn.) and ((film\$3 coat\$4 deposit\$4 layer\$1 epox\$4 material\$1 compond\$1) same (align\$5 pin\$1 hole\$1 window\$3 orif\$6 orefi\$6 mark\$4))	USPAT; US-PGPUB	2004/04/20 15:41		0
118	BR S	1	'09/954130'	USPAT; US-PGPUB	2004/04/21 11:07		0
119	BR S	1	6453095.pn.	USPAT; US-PGPUB	2004/04/21 15:16		0
120	BR S	1	6641310.pn.	USPAT; US-PGPUB	2004/04/21 18:31		0
121	BR S	1	6641310.pn. and ((photo adj1 lithog\$5) photolithogr\$5)	USPAT; US-PGPUB	2004/04/21 18:33		0
122	BR S	1	6641310.pn. and (silic\$5)	USPAT; US-PGPUB	2004/04/21 18:48		0
123	BR S	1	5917976.pn.	USPAT; US-PGPUB	2004/04/21 18:47		0
124	BR S	1	5917976.pn. and (silic\$5)	USPAT; US-PGPUB	2004/04/21 18:48		0
125	BR S	1	6641310.pn. and (stand\$4 same (deposit\$4 layer\$1 etch\$4))	USPAT; US-PGPUB	2004/04/22 14:03		0
126	BR S	2	("6304687" "5940548").pn.	USPAT; US-PGPUB	2004/04/22 15:31		0
127	BR S	1	(5,546,483).pn.	USPAT; US-PGPUB	2004/04/22 15:27		0
128	BR S	1	((5,546,483).pn.) and ((materil\$1 groov\$4) same (confin\$4 scap\$4 loss\$3 horizont\$4 vertical direction\$1 TM TE))	USPAT; US-PGPUB	2004/04/22 15:31		0
129	BR S	1	("6304687").pn.	USPAT; US-PGPUB	2004/04/22 15:31		0
130	BR S	1	((("6304687").pn.) and ((materil\$1 groov\$4) same (confin\$4 scap\$4 loss\$3 horizont\$4 vertical direction\$1 TM TE))	USPAT; US-PGPUB	2004/04/22 15:41		0
131	BR S	1	((("6304687").pn.) and (groov\$4 same (mateial resin loss\$3)) and (confin\$4 scap\$4 horizont\$4 vertical direction\$1))	USPAT; US-PGPUB	2004/04/22 15:53		0

	Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
132	BR S	1	((("6304687").pn.) and (groov\$4 same (mateial resin\$1 loss\$3)) and (parall\$4 perpendicular confin\$4 scap\$4 horizont\$4 vertical direction\$1))	USPAT; US-PGPUB	2004/04/22 15:54		0
133	BR S	1	((("6304687").pn.) and (groov\$4 same (mateial resin\$1 loss\$3)) and (parall\$4 perpendicular\$3 confin\$4 scap\$4 horizont\$4 vertical direction\$1))	USPAT; US-PGPUB	2004/04/22 15:58		0
134	BR S	1	((("6304687").pn.)) and (groov\$4 same (mateial resin\$1 loss\$3)) and (parall\$4 perpendicular\$3 confin\$4 scap\$4 horizont\$4 vertical direction\$1))	USPAT; US-PGPUB	2004/04/22 16:12		0
135	BR S	1	((("6304687").pn.)) and (groov\$4 same (material resin\$1 loss\$3)) and (parall\$4 perpendicular\$3 confin\$4 scap\$4 horizont\$4 vertical direction\$1))	USPAT; US-PGPUB	2004/04/22 19:25		0
136	BR S	1	((("6304687").pn.))	USPAT; US-PGPUB	2004/04/22 19:25		0
137	BR S	1	((("6304687").pn.)) and ((groov\$4 slot\$1 hole\$1) same (quartz glass gel\$5 material\$1 resin\$1) same (loss\$3 gain\$3 confin\$3 scatter\$4))	USPAT; US-PGPUB	2004/04/22 20:34		0
138	BR S	1	((("6304687").pn.)) and ((groov\$4 slot\$1 hole\$1) same (quartz glass gel\$5 material\$1 resin\$1) same (collimat\$6 lens\$2 beam\$1 light path\$1))	USPAT; US-PGPUB	2004/04/22 20:35		0
139	BR S	1	6641310.pn.	USPAT; US-PGPUB	2004/04/27 11:01		0
140	BR S	1	'09/954130'	USPAT; US-PGPUB	2004/04/26 14:34		0
141	BR S	1	'09/954130' and ((transp\$5 film) same photolithogr\$5)	USPAT; US-PGPUB	2004/04/26 16:40		0
142	BR S	1	6641310.pn. and (dioxide sio\$2 nitride sin\$3, polysilicon polyim\$4)	USPAT; US-PGPUB	2004/04/26 18:17		0
143	BR S	1	385/.ccls. and (transp\$5 near5 deposit\$4 near7 photolithogr\$5 near12 substrat\$2)	USPAT; US-PGPUB	2004/04/26 16:42		0
144	BR S	65	transp\$5 near5 deposit\$4 near7 photolithogr\$5 near12 substrat\$2	USPAT; US-PGPUB	2004/04/26 16:46		0
145	BR S	30	(transp\$5 near5 deposit\$4 near7 photolithogr\$5 near12 substrat\$2) and align\$5	USPAT; US-PGPUB	2004/08/24 11:05		0

	Type	Hits	Search Text	DBs	Time Stamp	Cor ro r em en ts	Er ro r ni ti on
146	BR S	3	((transp\$5 near5 deposit\$4 near7 photolithogr\$5 near12 substrat\$2) and align\$5) and fiber\$1	USPAT; US-PGPUB	2004/04/26 16:43		0
147	BR S	1	film near1 transp\$5 near5 deposit\$4 near7 photolithogr\$5 near12 substrat\$2	USPAT; US-PGPUB	2004/04/26 16:47		0
148	BR S	7	(film\$1 coatin) near2 transp\$5 near5 deposit\$4 near7 photolithogr\$5 near12 substrat\$2	USPAT; US-PGPUB	2004/04/26 16:48		0
149	BR S	1	5917976.pn. and (dioxide sio\$2 nitride sin\$1 nitride polysilicon polyim\$4)	USPAT; US-PGPUB	2004/04/26 18:28		0
150	BR S	1	5917976.pn.	USPAT; US-PGPUB	2004/04/27 11:01		0
151	BR S	1	6641310.pn.	USPAT; US-PGPUB	2004/04/27 11:01		0
152	BR S	2	5917976.pn. 6641310.pn.	USPAT; US-PGPUB	2004/04/28 15:14		0
153	BR S	0	(5917976.pn. 6641310.pn.) and (align\$5 same (film\$1 mark\$3))	USPAT; US-PGPUB	2004/04/27 11:04		0
154	BR S	1	(5917976.pn. 6641310.pn.) and (film\$1 mark\$3)	USPAT; US-PGPUB	2004/04/27 12:42		0
155	BR S	1	(5917976.pn. 6641310.pn.) and (receiv\$3 same si) and (align\$5 mount\$4)	USPAT; US-PGPUB	2004/04/27 12:53		0
156	BR S	1	(5917976.pn. 6641310.pn.) and (receiv\$3 same si) and (align\$5 mount\$4 bump\$3)	USPAT; US-PGPUB	2004/04/27 15:27		0
157	BR S	0	5917976.pn. and (pin near3 (photo diod\$2 \$5detector \$5detectors))	USPAT; US-PGPUB	2004/04/27 15:28		0
158	BR S	0	5917976.pn. and ((sio\$1 film\$3 deposit\$4) same photolithog\$5)	USPAT; US-PGPUB	2004/04/27 16:37		0
159	BR S	0	5917976.pn. and ((sio\$1 film\$3 deposit\$4) same photolithog\$7)	USPAT; US-PGPUB	2004/04/27 16:37		0
160	BR S	0	5917976.pn. and ((sio\$1 film\$3 deposit\$4 silicon\$7) same photolithog\$7)	USPAT; US-PGPUB	2004/04/27 16:38		0
161	BR S	1	5917976.pn. and ((sio\$1 film\$3 deposit\$4 silicon\$7 si) same photolithog\$7)	USPAT; US-PGPUB	2004/04/27 18:18		0
162	BR S	1	5917976.pn. and ((sio\$1 film\$3 deposit\$4 silicon\$7 si) and photolithog\$7)	USPAT; US-PGPUB	2004/04/27 18:04		0
163	BR S	1	5917976.pn. and (fiber\$1 same (\$5lens \$5lenses) same (photodetec\$5 detect\$5 '16' '16a' receiv\$4))	USPAT; US-PGPUB	2004/04/27 18:07		0

	Type	Hits	Search Text	DBs	Time Stamp	Cor rec tions	Er ro rs
164	BR S	1	5917976.pn. and (fiber\$1 same (\$1lens \$1lenses) same (photodetec\$5 detect\$5 '16' '16a' receiv\$4) same align\$6)	USPAT; US-PGPUB	2004/04/27 18:07		0
165	BR S	20	385/\$.ccls. and (film\$3 near1 deposit\$4 near5 (substrate\$1 silicon\$ si) near12 photolithog\$7)	USPAT; US-PGPUB	2004/04/27 18:24		0
166	BR S	0	385/\$.ccls. and (film\$3 near1 metal\$4 near9 deposit\$4 near7 (substrate\$1 silicon\$ si) near17 photolithog\$17)	USPAT; US-PGPUB	2004/04/27 18:26		0
167	BR S	1	385/\$.ccls. and (film\$3 near6 metal\$4 near9 deposit\$4 near9 (substrate\$1 silicon\$ si) near17 photolithog\$17)	USPAT; US-PGPUB	2004/04/28 10:55		0
168	BR S	77	((carrier\$1 receptic1\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)) and ((apertur\$1 window\$1 hole\$1 opening\$1) near7 align\$5) and (pin\$1 same align\$5 same ferrul\$2 same (waveguid\$3 fiber\$1))	USPAT; US-PGPUB	2004/04/28 09:47		0
169	BR S	7	((carrier\$1 receptic1\$2 substrat\$2) same (apertur\$1 window\$1 hole\$1 opening\$1)) and ((apertur\$1 window\$1 hole\$1 opening\$1) near7 align\$5) and (pin\$1 same align\$5 same ferrul\$2 same (waveguid\$3 fiber\$1))) and ((PIN near1 photodiode\$1) same VCSEL\$1)	USPAT; US-PGPUB	2004/04/28 09:48		0
170	BR S	219	(film\$3 near6 metal\$4 near9 deposit\$4 near9 (substrate\$1 silicon\$ si) near17 photolithog\$17)	USPAT; US-PGPUB	2004/04/28 10:56		0
171	BR S	3	(film\$3 near6 metal\$4 near9 deposit\$4 near9 (substrate\$1 silicon\$ si) near17 photolithog\$17) same fiber\$1	USPAT; US-PGPUB	2004/04/28 10:57		0
172	BR S	18	(film\$3 near6 metal\$4 near9 deposit\$4 near9 (substrate\$1 silicon\$ si) near17 photolithog\$17) and fiber\$1	USPAT; US-PGPUB	2004/08/24 11:05		0
173	BR S	1	5536466.pn.	USPAT; US-PGPUB	2004/04/28 11:01		0
174	BR S	0	5536466.pn. and (film\$3 near6 photolithog\$17)	USPAT; US-PGPUB	2004/04/28 11:02		0
175	BR S	1	5536466.pn. and (photolithog\$17)	USPAT; US-PGPUB	2004/04/28 11:02		0

	Type	Hits	Search Text	DBs	Time Stamp	Cor ro mm en ts	Er ro ro ni ti on
176	BR S	1	5917976.pn. and (electr\$5 conduct\$4 wir\$3 power current)	USPAT; US-PGPUB	2004/04/28 15:17		0
177	BR S	1	5917976.pn. and (elect\$6 conduct\$4 wir\$3 power current circuit\$2)	USPAT; US-PGPUB	2004/04/28 15:23		0
178	BR S	1	5917976.pn. and (elect\$6 conduct\$4 wir\$3 power current circuit\$2) same (si substrate\$1)	USPAT; US-PGPUB	2004/04/28 15:43		0
179	BR S	1	5917976.pn. and (elect\$6 conduct\$4 wir\$3 power current circuit\$2 pad\$1 si)	USPAT; US-PGPUB	2004/04/28 15:44		0
180	BR S	1	5917976.pn.	USPAT; US-PGPUB	2004/04/29 10:04		0
181	BR S	1	5917976.pn. and (ferrule\$1 same (hole\$1 pin\$1 guid\$2 fiber\$1 waveguide\$1 align\$5 lens\$2 microlen\$3 laser\$1 diod\$2))	USPAT; US-PGPUB	2004/04/29 10:23		0
182	BR S	14	385/\$.ccls. and mpo same connect\$4 same alignm\$4 same optic\$4	USPAT; US-PGPUB	2004/04/29 10:24		0
183	BR S	1	'09/954130'	USPAT; US-PGPUB	2004/04/29 10:54		0
184	BR S	1	'09/954130' and (ferrul\$2 near7 (hole\$1 alignm\$4))	USPAT; US-PGPUB	2004/04/29 11:00		0
185	BR S	1	5917976.pn. and (mpo near5 hole\$1)	USPAT; US-PGPUB	2004/04/29 11:00		0

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1	09/751086	USPAT; US-PGPU B	2004/08/24 10:39
2	BRS	L2	21	(film\$3 near6 metal\$4 near9 deposit\$4 near9 (substrate\$1 silicon\$ si) near17 photolithog\$17) and fiber\$1	USPAT; US-PGPU B	2004/08/24 11:05
3	BRS	L3	38	(transp\$5 near5 deposit\$4 near7 photolithogr\$5 near12 substrat\$2) and align\$5	USPAT; US-PGPU B	2004/08/24 11:06
4	BRS	L4	22	((substrat\$2 same align\$5 same marks) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same align\$5 same marks) and (ferrul\$2 same fiber\$1) and ((photoactiv\$5 photodetect\$4 photodiode\$3 detect\$4 (photo adj1 activ\$5) led leds (light near1 source\$1) photo adj1 (diode\$2 detect\$5) laser\$1) same ferrule\$1)) and (ferrule\$1 same align\$5)	USPAT; US-PGPU B	2004/08/24 11:06

	Comments	Error Definition	Errors
1			0
2			0
3			0
4			0